

K
2018

www.kwokhing.com & www.khsew.com

女仕服裝縫製設備

SPARE PARTS & ATTACHMENTS OF
LINGERIE

Spare Parts &

Attachments of Lingerie

國興針車公司 Kwok Hing Sewing Machine Company

地址: 香港九龍荔枝角道 103-107 號

Address: G/F, 103-107 Lai Chi Kok Road, Kowloon, Hong Kong.


電話 Tel: (852) 2394 8163

傳真 Fax: (852) 2789 2681, (852) 2787 2033

網址 Website: <http://www.kwokhing.com>

<http://www.khsew.com>

電郵 E-mail: spareparts@kwokhing.com



 港鐵 MTR: 太子站 C2 出口 Exit C2, Prince Edward Station

 巴士 Bus: 來自機場 From Air-port: A21

 巴士 Bus: 來自港島 From Hong Kong Island: 117, 118, 118P
來自尖沙咀/東九龍 From Tsim Sha Tsui / East Kln.: 2, 2A

 巴士 Bus: 來自西九龍/新界 From West Kln. / New Territories:
2, 2A, 2X, 6F, 32, 36B, 43C, 44, 46, 52X, 87A, 117, 265B, 296C

K 前言 Preface



本書為國興針車公司出版的2018年女仕服裝縫製設備目錄，是繼1996、2002、2007年出版的第四個版本，本書內容主要收錄合用於女仕服裝、胸罩和內衣褲等生產的零件、包縫器、旋梭等配件。我們的產品繁多，本書不能盡錄。如果閣下未能在書中找到所需，敬請聯絡我們。本公司的網頁 www.kwokhing.com 及 www.khsew.com，亦會定期提供縫製資訊，歡迎閣下瀏覽參考及指教。

This catalogue is published in 2018 by Kwok Hing Sewing Machine Company. This is the fourth edition after the publishing in 1996, 2002 and 2007. It has drawn on the expert knowledge of production of brassieres, lingerie and other ladies' wears. The main contents of this catalogue are the spare parts and attachments for sewing lingerie, women's clothing, underwear and other accessories, etc.

As our products are numerous which cannot be recorded all in this catalogue, so please visit our website www.kwokhing.com & www.khsew.com for more selections. The most updated information of new products will be included in these websites. You are always welcome to visit and give us your valuable comments. Thank you very much.

其他主要目錄 Other Main Catalogues:



厚料設備及零配件 **Spare Parts for Heavy Duty**

主要介紹適用於皮革、汽車座椅、安全氣囊、梳化、皮包、布藝等生產的零件（如針位組、傍位、包縫器、旋梭等）設備及配件

Gauge Sets, Guides, Attachments, Rotary Hooks for Heavy Duty and Leather products (such as car seats, air bags, sofas and leather bags).



襯衫。休閒。運動 **Shirts. Leisurewear. Sports**

主要介紹襯衫、休閒服、褲子、流行服飾等生產的零件、壓腳、包縫器等設備及配件，包括：平車、雙針、多針、埋夾、特殊針位、拖輪等

Gauge Sets & Attachments for Shirts, Leisurewears & Fashions. Including Single needle, Double needle, Multi-needle, Feed-of-the-arm, Particular Gauge Sets, Pullers, etc.



繃縫零件 **Spare Parts for Interlock Stitch Machines**

適用於繃縫機的針位組、包縫器等配件（包含百多款針板、送布牙、壓腳、針頭等）

Gauge Sets & Attachments for Interlock Stitch Machines. Including more than hundred kinds of needle plates, feed dogs, presser feet, needle clamps, etc.



KHF 助縫器 **KHF Attachments**


過百種助縫器及配件介紹，適用於多款不同車種

More than Hundred Kinds of Attachments, Bracket and Parts, suitable for different kinds of sewing machines.

內容 Contents

	頁數 Page
A, B, C	
胸罩製作圖解	Brassiere Production Illustration
人字縫 ZIGZAG	
標準壓腳	Standard Feet 1
針板及送布齒	Needle Plates & Feed Dogs 3
導傍及高低壓腳	Guiding & Compensating Feet 5
網條及鬆緊帶壓腳	Tape & Elastic Presser Feet 9
包邊及摺邊	Binding & Hemming 13
接合縫及底網條	Butting Seam & Undertape 16
人字縫背扣針位	Zigzag Gauge Sets for Hooks & Eyes 17
透明塑膠壓腳	Transparent Plastic Presser Feet 17
人字縫擺針凸輪	Zigzag Needle Vibrating Cams 19
人字縫切刀針位	Zigzag Edge Cutting Gauge Set 21
百福人字縫 PFAFF ZIGZAG	
百福人字縫標準壓腳	PFAFF Zigzag Standard Feet 22
百福針板及送布齒	PFAFF Needle Plates & Feed Dogs 23
百福導傍及高低壓腳	PFAFF Guiding & Compensating Feet 24
百福網條及鬆緊帶壓腳	PFAFF Tape & Elastic Presser Feet 26
百福包邊及摺邊	PFAFF Binding & Hemming 28
百福透明塑膠壓腳	PFAFF Transparent Plastic Presser Feet 31
雙針 DOUBLE NEEDLES	
胸罩杯及鋼線助縫設備	Attachments for Bra Cup & Underwire 32
面貼網條 - 助縫設備	Tape Attaching - Attachments 33
面貼網條 - 壓腳	Tape Attaching - Attaching Feet 35
面貼網條 - 針位	Tape Attaching - Gauge Sets 36
其他雙針針位	Other Double Needle Gauge Sets 38
其他 OTHERS	
鬆緊帶調節器	Tension Devices 42
其他配件	Other Parts 45
KAP 多方位可調教導傍壓腳	KAP Multi-adjustable Compensating Feet 47
送料器	Tape Feeders 49
卡迪亞旋梭(人字縫用)	Kardia Rotary Hooks for Zigzag 50
索引 INDEX	51

胸罩製作圖解 Brassiere Production Illustration (Page A~C)




1. 杯位合併縫及襯裡 Butting Seam for Cup



零件號 Part Number	頁數 Page
200074	10
23770, 23770K	10
22185 & 22223	16
22187 & 22223	17
KN438187 & KF438223	23
KP438-770, KP438-770K	26
KHF63	33
24711	34
23061	35
23071	35
23207	35
224053 & 224029	36
3568-53 & 3568-29	36
KN845-53 & KN845-29	36
21010	37
21010A	37

2. 杯位紗網及花邊 Lace On The Cup Piece




210604 & 210524	3
503733N & 503734N	3
22186 & 417921	4
503605 & 541647	4
51768 & 417920	4
107-4L, 107-5L, 107-6L	5
107-7L, 107-CL	6
107-DL, 107-DR	6
266125, 3706, 3707	7
107-029, 107-029K	9
107-G5L	9
23769	10
23781	11
KP2284ER	12
KP2284GL, KP2284GR	13, 47
210516A, 210562A, 210596A	15, 16
KN438733N & KF438734N	23
KN43868 & KF438920	23
KN438516 & 438596	23, 30
KP438-7L, KP438-10L	24, 29
KP438-8LF, KP438-13	24, 29
KP438-623, KP438-624	24, 29, 30
KP438-CL, KP438-CR	25
KP438-DL, KP438-DR	25
KP438-69	26
KP438ER	27
K938GL, KP938-GR	27, 48
KHF81	33
212-684	34
212-005A	35
212-112	35
23072	35
SP-18N	45
KHF83	45

3. 胸罩中央部份 Center Piece




23870	12
KHF71	32, 34
24711	34
21139	34
K41B	34
23073	35
21010	37
21010A	37
224053 & 224029	36
3568-53 & 3568-29	36
KN845-53 & KN845-29	36
22466 & 22468	36
212-112K	39
23069	39
KH373-75	45

4. 胸杯接合及鋼圈加固 Cups Setting and Underwire




零件號 Part Number	頁數 Page
K2284L, K2284R, K2284M	8, 47
K938L, K938R, K938M	25, 47
KHF68	32, 34
KHF71	32, 34
KHF77	32, 34
KHF78	32, 34
KHF92	33
KHF97	33
KHF99	33
KHF38	33
KHF63	33
24711	34
21140	34
23061	35
23207	35
3568-53 & 3568-29	36
KN845-53 & KN845-29	36
22466 & 22468	36
21014	36
224053 & 224029	36
223884H & 223628H	36, 38
21010	37
21010A	37
S570AL, S570AR	38
223773	39
23388	39
K845L, K845R, K845M	40, 48

5. 鬆緊帶 Elastic Tape




210603 & 210523	3
51768 & 417920	4
107-030, 107-030R	9
107-G5L	9
23766A	9
23425	9
23769	10
23771, 23771R, 23771S	10
R23771	11
23772	11
23779, 23779A, 23779R	11
23780, 23780R	11
23781	11
23782	12
603766	12
B109	12
KP2284ER	12
23771-8, 51768-8, 417920-8	12
K2284GL, K2284GR	13, 47
KHF36	13, 28
KN43868 & KF438920	23
KN438596 & KF438516	23, 30
KP438-623, KP438-624	24, 29, 30
KP438-69	26
KP438GA, KP438GA-1	26
KP438C, R438CK	27
KP438ER	27
K938GL, K938GR	27, 48
457-T1, 457-T2	42
KH457-T1, KH457-T2	42
457G-188	43

6. 兩側及背部硬片 Brassiere Strip Supporting




零件號 Part Number	頁數 Page
KHF63	33
KHF96, 212-96	33
23061	35

7. 中央、兩側及背部合併 Join Side and Back Piece to Center Piece




212-005A	35
212-112	35
23071	35
23073	35
21010	37
21010A	37

8. 包邊縫 Binding




KHF36	13, 28, 40
KHF47	14
KHF79	14, 29
KHF59	14, 16, 28, 30
KHF76	14, 16, 28, 30
210569-A, 210569-B	15
210516A, 210562A, 210596A	15, 16
KN438596 & KF438516	23, 30
KP438-7L, KP438-10L	24, 29
KP438-8LF, KP438-13	24, 29
KP438-623, KP438-624	24, 29, 30
23067	40
K10	45
KHF57, KHF62	46

9. 肩帶 Straps



23425	9
23766A	9
23771, 23771R, 23771S	10
R23771	11
23782	12
603766	12
457-T1, 457-T2	42
KH457-T1, KH457-T2	42
457G-188	43
KHF57, KHF62	46

10. 背扣 Eye and Hook



107-086	1
107-254	1
241375	1
503733N & 503734N	3
210603 & 210523	3
210604 & 210524	3
107-CL, 107-DL, 107-DR	6
266125, 3706, 3707	7
2284-CL	8
235-12551	17
107-089, 210595 & 210515	17
KP438-086	22
KP438-375	22
KP438A, KP438B	22
KN438733N & KF438734N	23
KP438-CL, KP438-CR	25
KP438-DL, KP438-DR	25
KP938-CL	26
KH373-86	45

K 標準壓腳 Standard Feet



107-086

針孔寬度 Needle Hole Width	6 mm
壓腳寬度 Presser Foot Width	11 mm



107-254

針孔寬度 Needle Hole Width	7.5 mm
壓腳寬度 Presser Foot Width	15 mm



210569

針孔寬度 Needle Hole Width	6.5 mm
壓腳寬度 Presser Foot Width	15 mm



241375

針孔寬度 Needle Hole Width	6.5 mm
壓腳寬度 Presser Foot Width	11 mm



411314

針孔寬度 Needle Hole Width	10.5 mm
壓腳寬度 Presser Foot Width	17 mm



503595

針孔寬度 Needle Hole Width	10 mm
壓腳寬度 Presser Foot Width	19 mm



503689

針孔寬度 Needle Hole Width	10.5 mm
壓腳寬度 Presser Foot Width	16 mm



503690

針孔寬度	12 mm
Needle Hole Width	
壓腳寬度	19 mm
Presser Foot Width	



503818

針孔寬度	10 mm
Needle Hole Width	
壓腳寬度	19 mm
Presser Foot Width	



S48308

針孔寬度	7.5 mm
Needle Hole Width	
壓腳寬度	15 mm
Presser Foot Width	



S48293

針孔寬度	9.5 mm
Needle Hole Width	
壓腳寬度	19 mm
Presser Foot Width	



225-48655

針孔寬度	7.5 mm
Needle Hole Width	
壓腳寬度	14 mm
Presser Foot Width	



107-253T

壓腳連舌片
Presser Foot with
Supporting Finger

針孔寬度	6.5 mm
Needle Hole Width	
壓腳寬度	11 mm
Presser Foot Width	

K 針板及送布齒

Needle Plates & Feed Dogs



210600 針板 Needle Plate

針孔寬度
Needle Hole Width 6.5 mm

210518 送布齒 Feed Dog

齒面寬度
Teeth Width 13.5 mm
中排齒排列
Teeth in Mid-row 9T



210603 針板 Needle Plate

針孔寬度
Needle Hole Width 6 mm

210523 送布齒 Feed Dog

齒面寬度
Teeth Width 13.5 mm
中排齒排列
Teeth in Mid-row 6T + 9T



210604 針板 Needle Plate

針孔尺寸
Needle Hole Size 2.6 x 1.1 mm

210524 送布齒 Feed Dog

齒面寬度
Teeth Width 10.5 mm
中排齒排列
Teeth in Mid-row 6T + 9T



210604S 針板 Needle Plate

針孔尺寸
Needle Hole Size 4 x 1.2 mm

210524S 送布齒 Feed Dog

齒面寬度
Teeth Width 9.5 mm
中排齒排列
Teeth in Mid-row 6T + 9T



503733N 針板 Needle Plate

針孔寬度
Needle Hole Width 6.3 mm

503734N 送布齒 Feed Dog

齒面寬度
Teeth Width 13.5 mm
中排齒排列
Teeth in Mid-row 6T + 9T



503733NR 針板 Needle Plate

針孔寬度
Needle Hole Width 6.3 mm

503734TR 膠送布齒 Rubber Feed Dog

齒面寬度
Teeth Width 13.5 mm
中排齒排列
Teeth in Mid-row 6T + 9T




503733T 針板連舌片 Needle Plate with Supporting Finger

針孔寬度
Needle Hole Width 6.3 mm

503734T 送布齒 Feed Dog

齒面寬度
Teeth Width 13.5 mm
中排齒排列
Teeth in Mid-row 4T + 9T



22186 針板
Needle Plate
(連22186-3F 舌片)
(with 22186-3F Supporting Finger)

417921 送布齒
Feed Dog

齒面寬度
Teeth Width 17.5 mm

22186-2M (2mm)
舌片 Supporting Finger

22186-3M (3mm)
舌片 Supporting Finger



503605 針板
Needle Plate

針孔寬度
Needle Hole Width 10.3 mm

541647 送布齒
Feed Dog

齒面寬度
Teeth Width 17.5 mm
中排齒排列
Teeth in Mid-row 3T + 6T



51768-L 針板
Needle Plate

針孔寬度
Needle Hole Width 10.3 mm

417920-L 送布齒
Feed Dog

齒面寬度
Teeth Width 17.5 mm
中排齒排列
Teeth in Mid-row 5T + 8T



51768-S 針板
Needle Plate

針孔寬度
Needle Hole Width 10.3 mm

417920-S 送布齒
Feed Dog

齒面寬度
Teeth Width 17.5 mm
中排齒排列
Teeth in Mid-row 6T + 9T



51768-SN 針板
Needle Plate

針孔寬度
Needle Hole Width 10.3 mm

417920-SN 送布齒
Feed Dog

齒面寬度
Teeth Width 17.5 mm
中排齒排列
Teeth in Mid-row 6T + 9T



51768-8 針板
Needle Plate

針孔寬度
Needle Hole Width 10.3 mm

417920-8 送布齒
Feed Dog

齒面寬度
Teeth Width 34.5 mm
中排齒排列
Teeth in Mid-row 5T + 10T



51768-TH 針板
Needle Plate

針孔寬度
Needle Hole Width 10.3 mm

417920-SL 送布齒
Feed Dog

齒面寬度
Teeth Width 17.5 mm
中排齒排列
Teeth in Mid-row 7T + 10T

Short Feed Dog Moving Range
送布齒行程特短



51768-TH 針板
Needle Plate

針孔寬度
Needle Hole Width 10.3 mm

417920-XL 送布齒
Feed Dog

齒面寬度
Teeth Width 17.5 mm
中排齒排列
Teeth in Mid-row 5T + 8T

Short Feed Dog Moving Range
送布齒行程特短



225-46212 針板 Needle Plate

針孔寬度
Needle Hole Width 4.5 mm

225-46410 送布齒 Feed Dog

齒面寬度
Teeth Width 10.7 mm
中排齒排列
Teeth in Mid-row 6T + 9T

For JUKI LZ-2280 Zigzag Machine
重機 LZ-2280 人字車適用



225-48010 針板 Needle Plate

針孔寬度
Needle Hole Width 6 mm

225-48119 送布齒 Feed Dog

齒面寬度
Teeth Width 13 mm
中排齒排列
Teeth in Mid-row 6T + 9T

For JUKI LZ-2280 Zigzag Machine
重機 LZ-2280 人字車適用



225-81409S 針板 Needle Plate

針孔寬度
Needle Hole Width 10 mm

225-81508S 送布齒 Feed Dog

齒面寬度
Teeth Width 17 mm
中排齒排列
Teeth in Mid-row 6T + 9T

For JUKI LZ-2280 Zigzag Machine
重機 LZ-2280 人字車適用

K 導傍及高低壓腳 Guiding & Compensating Feet



107-4L

針孔寬度
Needle Hole Width 6 mm
壓料位置寬度
Pressing Width 15 mm



107-5L

針孔寬度
Needle Hole Width 6.5 mm
壓料位置寬度
Pressing Width 10 mm



107-6L

針孔寬度
Needle Hole Width 6.5 mm
壓料位置寬度
Pressing Width 8 mm



107-7L

左導傍壓腳
Left Guiding Foot

針孔寬度 Needle Hole Width	6 mm
壓料位置寬度 Pressing Width	6.5 mm



107-CL

左高低壓腳
Left Compensating Foot

針孔寬度 Needle Hole Width	5.5 mm
右趾寬度 Right Toe Width	5.5 mm



107-DL

左高低壓腳
Left Compensating Foot

針孔寬度 Needle Hole Width	6 mm
右趾寬度 Right Toe Width	5.5 mm



107-DR

右高低壓腳
Right Compensating Foot

針孔寬度 Needle Hole Width	6 mm
左趾寬度 Left Toe Width	5.5 mm



107SGL

左傍壓腳
Left Guiding

針孔寬度 Needle Hole Width	7.5 mm
壓料位置寬度 Pressing Width	10.5 mm



107SGR

右傍壓腳
Right Guiding

針孔寬度 Needle Hole Width	7.5 mm
壓料位置寬度 Pressing Width	10 mm



457-CL

左傍壓腳
Left Guiding



針孔寬度 Needle Hole Width	10 mm
壓料位置寬度 Pressing Width	15.5 mm




457-CR

右傍壓腳
Right Guiding

針孔寬度 Needle Hole Width	10 mm
壓料位置寬度 Pressing Width	15.5 mm



KAP 人字導傍高低壓腳 (可調教) Compensating Feet for Zig Zag (Adjustable)




適用於同時縫紉不同厚度物料：


- A) 兩邊壓腳底高度可個別調教
- B) 兩邊壓腳底壓力可個別調教

Sewing different thickness fabrics simultaneously:


- A) Adjusting both presser foot bases **height** independently
- B) Adjusting both presser foot bases **pressure** independently



K2284L



K2284R



K2284M

K2284L


左傍高低壓腳 (可調教)
Left Compensating Foot (Adjustable)

K2284R

右傍高低壓腳 (可調教)
Right Compensating Foot (Adjustable)

K2284M



左右導傍高低壓腳 (可調教)
Dual Compensating Foot (Adjustable)



2284-CL

左高低壓腳 (可調教)
Left Compensating Foot

壓力可個別調教
Pressures adjustable independently.
可同時縫紉不同厚度物料。
For sewing different thickness fabrics simultaneously.



GB107

傍位
Edge Guide



K 綑條及鬆緊帶壓腳

Tape & Elastic Presser Feet



107-G5L

導邊壓腳
Guiding Foot

鬆緊帶尺寸 Elastic Tape Size	7 ~ 18 mm
針孔寬度 Needle Hole Width	7 mm
壓料位置寬度 Pressing Width	7 mm



107-029


面貼壓腳
Tape Attaching

最大綑條尺寸 Maximum Tape Size	34 mm
針孔寬度 Needle Hole Width	9.5 mm
壓腳寬度 Presser Foot Width	20 mm



107-029K

附中央導向片面貼壓腳
Tape Attaching with Center Guide



可調教綑條尺寸 Adjustable Tape Size	0 ~ 20 mm
---------------------------------	-----------



107-030

面貼壓腳
Tape Attaching

鬆緊帶尺寸 Elastic Tape Size	3.5 ~ 8 mm
針孔寬度 Needle Hole Width	7 mm
壓腳寬度 Presser Foot Width	14 mm



107-030R

附滾輪面貼壓腳
Tape Attaching with Roller

鬆緊帶尺寸 Elastic Tape Size	3.5 ~ 8 mm
針孔寬度 Needle Hole Width	7 mm
壓腳寬度 Presser Foot Width	14 mm



23425

鬆緊帶面貼壓腳
Elastic Shirring Foot

鬆緊帶尺寸 Elastic Tape Size	1/8" 3/16" 1/4"
針孔寬度 Needle Hole Width	10 mm
壓腳寬度 Presser Foot Width	18 mm



23766A (457GB)

面貼壓腳
Tape Attaching

可調教鬆緊帶尺寸 Adjustable Elastic Tape Size	5 ~ 18 mm
針孔寬度 Needle Hole Width	10 mm
壓腳寬度 Presser Foot Width	17.5 mm



23769


面貼壓腳
Zigzag Tape Attaching Foot

鬆緊帶尺寸 Elastic Tape Size	8 ~ 23 mm
針孔寬度 Needle Hole Width	10.5 mm
壓腳寬度 Presser Foot Width	19 mm



200074

附導帶坑面貼壓腳
Grooved Tape Attaching Foot




Tape Size 入口	Finished Size 出口
3/4"	5/16"



23770

面貼壓腳
Zigzag Tape Attaching Foot




Tape Size 入口	Finished Size 出口
5/8"	5/16"



23770K

開式縫面貼壓腳
Zigzag Open Seam Tape Attaching Foot

(附中央導向片)
(with Center Guide)



Tape Size 入口	Finished Size 出口
5/8"	5/16"



23771 (107C)

導邊壓腳
Guiding Foot

鬆緊帶尺寸 Elastic Tape Size	8 ~ 23 mm
針孔寬度 Needle Hole Width	8 mm
壓料位置寬度 Pressing Width	11.5 mm



23771 (457)

導邊壓腳
Guiding Foot

鬆緊帶尺寸 Elastic Tape Size	9 ~ 22 mm
針孔寬度 Needle Hole Width	10 mm
壓料位置寬度 Pressing Width	14.5 mm



23771R

附滾輪導邊壓腳
Guiding Foot with Roller

鬆緊帶尺寸 Elastic Tape Size	8 ~ 22 mm
針孔寬度 Needle Hole Width	8 mm
壓料位置寬度 Pressing Width	11.5 mm



23771S

導邊壓腳(窄)
Guiding Foot (Narrow)


鬆緊帶尺寸 Elastic Tape Size	6 ~ 17 mm
針孔寬度 Needle Hole Width	7.5 mm
壓料位置寬度 Pressing Width	11.5 mm



R23771


滾輪壓腳
Roller Foot

最大細條尺寸 Maximum Tape Size	20 mm
針孔寬度 Needle Hole Width	11 mm
壓腳寬度 Pressing Width	17 mm



23772 (107E)

彈性花邊面貼用
For Elastic Tape or Lace



最大細條尺寸 Maximum Tape Size	16 mm
-----------------------------	-------



23779 (457A)

面貼壓腳
Tape Attaching Foot

鬆緊帶尺寸 Elastic Tape Size	3 ~ 15 mm
針孔寬度 Needle Hole Width	10.5 mm
壓腳寬度 Presser Foot Width	22 mm



23779A

面貼壓腳 (交疊縫合用)
Tape Attaching Foot
(For Cross Joint)

鬆緊帶尺寸 Elastic Tape Size	3 ~ 15 mm
針孔寬度 Needle Hole Width	10.5 mm
壓腳寬度 Presser Foot Width	22 mm



23779R

附滾輪面貼壓腳
Tape Attaching Foot with
Roller

鬆緊帶尺寸 Elastic Tape Size	3 ~ 15 mm
針孔寬度 Needle Hole Width	10.5 mm
壓腳寬度 Presser Foot Width	22 mm

滾輪
Roller



23780 (457A1)

導帶坑面貼壓腳
Grooved Tape Attaching
Foot

鬆緊帶尺寸 Elastic Tape Size	3.5 ~ 15 mm
針孔寬度 Needle Hole Width	10.5 mm
壓腳寬度 Presser Foot Width	22 mm



23780R (457A1)

附滾輪導帶坑面貼壓腳
Grooved Tape Attaching
Foot with Roller


鬆緊帶尺寸 Elastic Tape Size	3.5 ~ 15 mm
針孔寬度 Needle Hole Width	10.5 mm
壓腳寬度 Presser Foot Width	22 mm

滾輪
Roller



23781

導帶坑面貼壓腳(附傍邊)
Grooved Tape Attaching
Foot with Guide



鬆緊帶尺寸 Elastic Tape Size	5 ~ 16 mm
針孔寬度 Needle Hole Width	10.5 mm
壓腳寬度 Presser Foot Width	22 mm

傍邊可調教
Adj. Guide



23782

壓腳連導片
Presser Feet with
Adjustable Guide

鬆緊帶尺寸 Elastic Tape Size	8 ~ 18.5 mm
針孔寬度 Needle Hole Width	12 mm


23782-G

調節式導片
Adjustable Guide



23870

附中央導向片面貼壓腳
Tape Attaching with
Center Guide



鬆緊帶尺寸 Elastic Tape Size	10 ~ 13 mm
針孔寬度 Needle Hole Width	10 x 1.5 mm
壓腳寬度 Presser Foot Width	17 mm



B109

重機LZ-2280人字車適用
For JUKI LZ-2280 Zigzag
Machine


鬆緊帶尺寸 Elastic Tape Size	4 ~ 16.5 mm
針孔寬度 Needle Hole Width	10.5 mm
壓腳寬度 Presser Foot Width	21 mm



603766

調節式三層面貼壓腳
Adjustable 3 Layers Tape
Attaching Foot

(鬆緊帶可用)
(Applicable for Elastic Tape)




鬆緊帶尺寸 Elastic Tape Size	5.5 ~ 12 mm
針孔寬度 Needle Hole Width	11 mm
壓腳寬度 Presser Foot Width	22 mm



KP2284ER

滾輪導傍壓腳
Roller Guiding Feet



滾輪位置可調教
Roller Position
Adjustable


最大綑條尺寸 Maximum Tape Size	37 mm
針孔寬度 Needle Hole Width	10.5 mm
壓腳寬度 Presser Foot Width	22 mm

Roller Position Adjustable
滾輪位置可調教




KT2284P

前後互動壓腳
Hinged Compensating
Feet



Sewing Crossed Seam Easily
適用於縫十字縫



23771-8

51768-8

417920-8

23771-8 壓腳
Presser Foot

最大鬆緊帶尺寸 Max. Elastic Tape Size	42 mm
針孔寬度 Needle Hole Width	10 mm


51768-8 針板
Needle Plate

針孔寬度 Needle Hole Width	10.3 mm
---------------------------	---------

417920-8 送布齒
Feed Dog

齒面寬度 Teeth Width	34.5 mm
中排齒排列 Teeth in Mid-row	5T + 10T

KAP 人字導傍面貼高低壓腳 (可調教) Tape Attaching Compensating Feet for Zig Zag (Adjustable)




適用於同時縫紉不同厚度物料：

- A) 兩邊壓腳底高度可個別調教
- B) 兩邊壓腳底壓力可個別調教


Sewing different thickness fabrics simultaneously:

- A) Adjusting both presser foot bases **height** independently
- B) Adjusting both presser foot bases **pressure** independently

K2284GL



K2284GR




For tape/ elastic attaching. Max. 32mm width (removeable)
適用於面貼細條/鬆緊帶，最寬32mm (可拆卸)

K2284GL

左導傍面貼高低壓腳 (可調教)
Left Compensating Foot
for Tape Attaching (Adjustable)

K2284GR


右導傍面貼高低壓腳 (可調教)
Right Compensating Foot
for Tape Attaching (Adjustable)



K 包邊及摺邊 Binding & Hemming

KHF36A


人字縫包邊器
Edge Binder for Zigzag
(薄身皮革及塑膠材料用)
(For Thin Leather & Plastic Material)



Tape Size 入口	1/2"	9/16"	3/4"
Finished Size 出口	3/16"	3/16"	1/4"

KHF36B


人字縫包邊器
Edge Binder for Zigzag
(薄身皮革及塑膠材料用)
(For Thin Leather & Plastic Material)



Tape Size 入口	1"	3/4"
Finished Size 出口	1/4"	3/16"

KHF36C

人字縫包邊器
Edge Binder for Zigzag
(薄身皮革及塑膠材料用)
(For Thin Leather & Plastic Material)




Tape Size 入口	1/2"	14mm	5/8"	18mm	20mm	25mm
Finished Size 出口	1/4"	7mm	5/16"	9mm	10mm	12.5mm



KHF47


調節式上摺摺邊器
Adjustable Upturn
Hemmer for Zigzag

(摺疊尺寸可調較)
(Folding Size is Adjustable)



KHF59A

人字縫包邊器
Edge Binder for Zigzag




Tape Size 入口	1/2"	9/16"	3/4"
Finished Size 出口	3/16"	3/16"	1/4"



KHF59B

人字縫包邊器
Edge Binder for Zigzag




Tape Size 入口	1"	3/4"
Finished Size 出口	1/4"	3/16"



KHF59C

人字縫包邊器
Edge Binder for Zigzag




Tape Size 入口	1/2"	14mm	5/8"	18mm	20mm	25mm
Finished Size 出口	1/4"	7mm	5/16"	9mm	10mm	12.5mm



KHF76

胸罩包邊器
Brassiere Edge Binder




Finished Size 出口	5.2mm	6.4mm	8mm
------------------	-------	-------	-----



KHF79

胸罩包邊器
Brassiere Edge Binder



107-601

摺邊壓腳
Hemming Foot

摺邊
Hemming:
1/16"



S107H

摺邊壓腳
Hemming Foot

摺邊
Hemming:
2.5mm, 3mm, 4mm



210562A-2 壓腳
Presser Foot

壓腳寬度
Presser Foot Width:
14.5mm

210524S 送布齒
Feed Dog

齒面寬度
Teeth Width:
9.5mm

210604S 針板
Needle Plate




210562A-3 壓腳
Presser Foot

壓腳寬度
Presser Foot Width:
14.5mm

210516A-3 送布齒
Feed Dog

齒面寬度
Teeth Width:
10mm

210596A-3 針板
Needle Plate




210562A-4 壓腳
Presser Foot

壓腳寬度
Presser Foot Width:
16mm

210516A-4 送布齒
Feed Dog

齒面寬度
Teeth Width:
14mm

210596A-4 針板
Needle Plate



210562A-5 壓腳 Presser Foot

壓腳寬度
Presser Foot Width:
18mm



210516A-5 送布齒 Feed Dog

齒面寬度
Teeth Width:
17.5mm


210596A-5 針板 Needle Plate

特厚針板 Extra Thick Needle Plate


包邊器連針位 (KHF59) Binder & Gauge Set



Tape Size 入口	1/2"	9/16"	3/4"
Finished Size 出口	3/16"	3/16"	1/4"



Tape Size 入口	1"	3/4"
Finished Size 出口	1/4"	3/16"



Tape Size 入口	1/2"	14mm	5/8"	18mm	20mm	25mm
Finished Size 出口	1/4"	7mm	5/16"	9mm	10mm	12.5mm

Select one of the following Gauge Sets 選配以下其中一套針位

Presser Foot 壓腳

Feed Dog 送布齒

Needle Plate 針板

210562A-3

210516A-3

210596A-3

210562A-4

210516A-4

210596A-4

210562A-5

210516A-5

210596A-5

包邊器連針位 (KHF76) Binder & Gauge Set



KHF76


胸罩包邊器
Brassiere Edge Binder

出口 Finished Size

5.2mm

6.4mm

8mm



Select one of the following Gauge Sets 選配以下其中一套針位

Presser Foot 壓腳

Feed Dog 送布齒

Needle Plate 針板

210562A-3

210516A-3

210596A-3

210562A-4

210516A-4

210596A-4

210562A-5

210516A-5


210596A-5

K 接合縫及底綑條 Butting Seam & Undertape



22185 針板 Needle Plate

22223 送布齒 Feed Dog




(胸罩杯狀接合縫用)
(For Butting Seam of Brassiere)



22187 針板 Needle Plate

(可調較底綑條尺寸)
(Under-tape Size Adjustable)

22223 送布齒 Feed Dog



(胸罩杯狀接合縫用)
(For Butting Seam of Brassiere)



KHF457

底綑條拉帶器
Undertape Folder



Tape Size 入口	7/8"
Finished Size 出口	3/8"

可用配件
Other Applicable Parts:
Needle Plate 針板 22185
Needle Plate 針板 22187


K 人字縫背扣針位 Zigzag Gauge Sets for Hooks & Eyes



235-12551

胸罩勾扣用
For Hooks & Eyes of
Brassiere

背扣針位 Gauge Set for Hooks & Eyes



107-089

壓腳
Presser Feet

210515

送布齒
Feed Dog

210595

有坑針板
Grooved Needle Plate

K 透明塑膠壓腳 Transparent Plastic Presser Feet




PT-107

全鋼壓腳頭
Steel Presser Feet Head




T-086

針孔尺寸 Needle Hole Size	6 mm x 1.5mm
壓腳寬度 Presser Foot Width	11.5 mm




T-254

針孔尺寸 Needle Hole Size	8 mm x 1.5mm
壓腳寬度 Presser Foot Width	15 mm



T-314


針孔尺寸 Needle Hole Size	11.5 mm x 2 mm
壓腳寬度 Presser Foot Width	19 mm



TL-107

左傍邊壓腳
Left Edge Guiding


針孔尺寸 Needle Hole Size	7 mm x 1.5 mm
傍位與針孔間之距離 Distance between Guide & Needle Hole:	0 mm



TL-457

左傍邊壓腳
Left Edge Guiding


針孔尺寸 Needle Hole Size	11.5 mm x 2 mm
傍位與針孔間之距離 Distance between Guide & Needle Hole:	0 mm



TR-107

右傍邊壓腳
Right Edge Guiding

針孔尺寸 Needle Hole Size	7 mm x 1.5 mm
傍位與針孔間之距離 Distance between Guide & Needle Hole:	0 mm



TR-457

右傍邊壓腳
Right Edge Guiding

針孔尺寸 Needle Hole Size	11.5 mm x 2 mm
傍位與針孔間之距離 Distance between Guide & Needle Hole:	0 mm

K 人字縫擺針凸輪

Zigzag Needle Vibrating Cams



411136


兩點人字凸輪
Plain (1-Step) Zigzag Cam

Stitch Pattern 線跡模樣



Max Pattern Width最大模樣寬度 --

Max Stitch Width最大擺動距離 --



411146 (502969)


四點人字凸輪
3-Step Zigzag Cam

Stitch Pattern 線跡模樣



Max Pattern Width最大模樣寬度 --

Max Stitch Width最大擺動距離 --



411394 (551893)


兩點人字凸輪
Plain (1-Step) Zigzag Cam

Stitch Pattern 線跡模樣



Max Pattern Width最大模樣寬度 5mm

Max Stitch Width最大擺動距離 --



411462 (551895)


三點人字凸輪
2-Step Zigzag Cam

Stitch Pattern 線跡模樣



Max Pattern Width最大模樣寬度 8mm

Max Stitch Width最大擺動距離 --



411362 (551897)


四點人字凸輪
3-Step Zigzag Cam

Stitch Pattern 線跡模樣



Max Pattern Width最大模樣寬度 8mm

Max Stitch Width最大擺動距離 --



411295 (551899)


均寬扇狀凸輪(24針)
Even Width Scallop Cam
(24 Stitch)

Stitch Pattern 線跡模樣



(A) Max Pattern Width最大模樣寬度 8mm

(B) Max Stitch Width最大擺動距離 2.6mm



411360 (551901)

新月扇狀凸輪
Crescent Scallop Cam

Stitch Pattern 線跡模樣



(A) Max Pattern Width最大模樣寬度 8mm

(B) Max Stitch Width最大擺動距離 3.6mm




411464 (551903)

均寬扇狀凸輪(24針)
Even Width Scallop Cam
(24 Stitch)

Stitch Pattern 線跡模樣



(A) Max Pattern Width最大模樣寬度 8mm
(B) Max Stitch Width最大擺動距離 3.4mm




411358 (551905)

簡單扇狀凸輪
Rough Scallop Cam

Stitch Pattern 線跡模樣



(A) Max Pattern Width最大模樣寬度 8mm
(B) Max Stitch Width最大擺動距離 2.4mm



411396 (551907)

4針暗縫凸輪
Blind Stitch Cam (4-Stitch)

Stitch Pattern 線跡模樣



Max Pattern Width最大模樣寬度 5mm
Max Stitch Width最大擺動距離 --




411364 (551909)

6針暗縫凸輪
Blind Stitch Cam (6-Stitch)

Stitch Pattern 線跡模樣




Max Pattern Width最大模樣寬度 5mm
Max Stitch Width最大擺動距離 --




411480 (551911)

8針暗縫凸輪
Blind Stitch Cam (8-Stitch)

Stitch Pattern 線跡模樣



Max Pattern Width最大模樣寬度 5mm
Max Stitch Width最大擺動距離 --



411482 (551913)

12針暗縫凸輪
Blind Stitch Cam (12-Stitch)

Stitch Pattern 線跡模樣



Max Pattern Width最大模樣寬度 5mm
Max Stitch Width最大擺動距離 --



411195

魚網狀高速人字車用凸輪
Fishing Net Cam for High
Speed Zigzag Machine

Stitch Pattern 線跡模樣



(A) Max Pattern Width最大模樣寬度 8mm
(B) Max Stitch Width最大擺動距離 6.5mm

For 457A-104-M Fagoting Zigzag Machine
457A-104-M抽紗人字車適用



411196

魚網狀高速人字車用凸輪
Fishing Net Cam for High
Speed Zigzag Machine

Stitch Pattern 線跡模樣



(A) Max Pattern Width最大模樣寬度 8mm
(B) Max Stitch Width最大擺動距離 6.5mm

For 457A-104-M Fagoting Zigzag Machine
457A-104-M抽紗人字車適用

人字縫切刀針位 Zigzag Edge Cutting Gauge Set 適用於2284/457縫紉機 Suitable for 2284/457 Zig Zag Machine



效果圖 Rendering

縫製時同時切料
Cutting edge simultaneously
when sewing



KEC-2284-GS

人字切刀針位
Edge Cutting Gauge Set

KEC-2284-GSF

人字切刀針位 (連舌片)
Edge Cutting Gauge Set (with Supporting Finger)

KEC-2284-SP
Side Plate
擋板

KEC-2284-PF
Presser Foot
壓腳

KEC-2284-NP
Needle Plate
針板

KEC-2284-FD
Feed Dog
送布牙

KEC-2284-NP

針板
Needle Plate

KEC-2284-FD

送布牙
Grooved Needle Plate

KEC-2284-PF

壓腳
Presser Foot

KEC-2284-SP

擋板
Side Plate

KEC-2284-UB

上刀
Upper Knife

KEC-2284-LB

下刀
Lower Knife

KEC-2284-LS1+LS2

彈簧片
Leaf Spring

KEC-2284-BH

刀架
Blade Holder

KEC-2284-NPF

針板 (連舌片)
Needle Plate
(with Supporting Finger)

KEC-2284-LBF

下刀 (連舌片針位用)
Lower Knife
(for gauge set with Supporting Finger)

KEC-2284-T

舌片
Supporting Finger

KHF-2284


助縫器
Folder

KEC-2284-NPF
針板(連舌片)
Needle Plate (with
Supporting
Finger)

KEC-2284-T
Supporting
Finger
舌片


KEC-2284-LBF
Lower Blade 下刀
(For Gauge Set with Supporting Finger 連舌片針位用)

Applicable 可另選購：



KHF-2284
Folder 助縫器

Needle Plate Reverse Assembly Diagram 針板底部 分解圖



K 百福人字縫標準壓腳

PFAFF Zigzag

Standard Presser Feet

KP438-086



針孔寬度	5.5 mm
Needle Hole Width	
壓腳寬度	8 mm
Presser Foot Width	

KP438-375



針孔寬度	6.5 mm
Needle Hole Width	
壓腳寬度	11 mm
Presser Foot Width	

KP438B



針孔寬度	6.5 mm
Needle Hole Width	
壓腳寬度	11 mm
Presser Foot Width	

KP438A



針孔寬度	7.5 mm
Needle Hole Width	
壓腳寬度	14.5 mm
Presser Foot Width	

KP438-314



針孔寬度	11.5 mm
Needle Hole Width	
壓腳寬度	17 mm
Presser Foot Width	

541566



針孔寬度	12 mm
Needle Hole Width	
壓腳寬度	18.5 mm
Presser Foot Width	

R438

滾輪壓腳
Roller Foot



針孔寬度	11 mm
Needle Hole Width	
壓腳寬度	23 mm
Presser Foot Width	

K 百福針板及送布齒 PFAFF Needle Plates & Feed Dogs



KN438733N 針板
Needle Plate

針孔寬度
Needle Hole Width 6.3 mm

KF438734N 送布齒
Feed Dog

齒面寬度
Teeth Width 14 mm
中排齒排列
Teeth in Mid-row 6T + 9T



KN43868-S 針板
Needle Plate

針孔寬度
Needle Hole Width 10.3 mm

KF438920-S 送布齒
Feed Dog

齒面寬度
Teeth Width 16.5 mm
中排齒排列
Teeth in Mid-row 6T + 9T



KN43868-L 針板
Needle Plate

針孔寬度
Needle Hole Width 10.3 mm

KF438920-L 送布齒
Feed Dog

齒面寬度
Teeth Width 16.5 mm
中排齒排列
Teeth in Mid-row 5T + 8T



KN438596-A3

針板 Needle Plate

針孔寬度
Needle Hole Width 6.3 mm

KF438516-A3

送布齒 Feed Dog

齒面寬度
Teeth Width 9.5 mm



KN438596-A4


針板 Needle Plate

針孔寬度
Needle Hole Width 6.3 mm

KF438516-A4

送布齒 Feed Dog


齒面寬度
Teeth Width 13.5 mm



KN438187 針板
Needle Plate

(可調較底綑條尺寸)
(Under-tape Size Adjustable)

KF438223 送布齒
Feed Dog



(胸罩杯狀接合縫用)
(For Butting Seam of Brassiere)



91-026 512-04 針板
Needle Plate

針孔寬度
Needle Hole Width 6.3 mm

91-026 613-05 送布齒
Feed Dog

齒面寬度
Teeth Width 13.5 mm
中排齒排列
Teeth in Mid-row 4T + 5T



91-046 313-04 針板 Needle Plate

針孔寬度 Needle Hole Width	6.3 mm
---------------------------	--------

91-026 883-05 送布齒 Feed Dog

齒面寬度 Teeth Width	13.5 mm
中排齒排列 Teeth in Mid-row	5T

K 百福導傍及高低壓腳 PFAFF Guiding & Compensating Feet

百福人字縫 PFAFF ZIGZAG



KP438-623

左傍壓腳
Left Guiding Presser Foot

針孔寬度 Needle Hole Width	7 mm
壓腳寬度 Presser Foot Width	14.5 mm



KP438-624

左傍壓腳
Left Guiding Presser Foot

針孔寬度 Needle Hole Width	7 mm
壓腳寬度 Presser Foot Width	16 mm



KP438-7L

左傍壓腳
Left Guiding Presser Foot

針孔寬度 Needle Hole Width	6 mm
壓料位置寬度 Pressing Width	7 mm



KP438-10L

左傍壓腳
Left Guiding Presser Foot

針孔寬度 Needle Hole Width	9 mm
壓料位置寬度 Pressing Width	10 mm



KP438-8LF

左傍高低壓腳
Left Compensating
Presser Foot

針孔寬度 Needle Hole Width	4.5 mm
右趾寬度 Right Toe Width	7.5 mm




KP438-13

左傍高低壓腳
Left Compensating
Presser Foot

針孔寬度 Needle Hole Width	6.5 mm
右趾寬度 Right Toe Width	7 mm



KAP 百福人字導傍高低壓腳 (可調教)
Compensating Feet for PFAFF Zig Zag (Adjustable)




適用於同時縫紉不同厚度物料：

- A) 兩邊壓腳底高度可個別調教
- B) 兩邊壓腳底壓力可個別調教

Sewing different thickness fabrics simultaneously:

- A) Adjusting both presser foot bases **height** independently
- B) Adjusting both presser foot bases **pressure** independently



K938L


左導傍壓腳 (可調教)
Left Compensating Foot (Adjustable)


K938R

右導傍壓腳 (可調教)
Right Compensating Foot (Adjustable)

K938M


左右導傍高低壓腳 (可調教)
Dual Compensating Foot (Adjustable)





KP938-CL

左高低壓腳 (可調教)
Left Compensating Foot




壓力可個別調教，可同時縫紉不同厚度物料，例如過十字縫。
Pressures adjustable independently. For sewing different thickness fabrics simultaneously, even though sewing cross seam.



KP438K

開式縫用
Center Guide for Open Seam



針孔寬度 Needle Hole Width	12 mm
壓腳寬度 Presser Foot Width	17 mm

K 百福綑條及鬆緊帶壓腳 PFAFF Tape & Elastic Presser Feet



KP438-770

面貼壓腳
Zigzag Tape Attaching Foot



Tape Size 入口	Finished Size 出口
5/8"	5/16"



KP438-770K

開式縫面貼壓腳
Zigzag Open Seam Tape Attaching Foot
(附中央導向片 with Center Guide)



Tape Size 入口	Finished Size 出口
5/8"	5/16"



KP438GA

附導帶坑面貼壓腳
Grooved Tape Attaching Foot

最大鬆緊帶尺寸
Max. Elastic Tape Size:
17mm

(可調教底綑條尺寸)
(Under-tape Size Adjustable)



KP438GA-1


附導帶坑導傍壓腳
Guiding Feet with Groove

最大鬆緊帶尺寸
Max. Elastic Tape Size:
15mm

(可調教底綑條尺寸)
(Under-tape Size Adjustable)



KAP 百福人字導傍面貼高低壓腳 (可調教)
Tape Attaching Compensating Feet for PFAFF Zig Zag (Adjustable)




適用於同時縫紉不同厚度物料：

- A) 兩邊壓腳底高度可個別調教
- B) 兩邊壓腳底壓力可個別調教


Sewing different thickness fabrics simultaneously:

- A) Adjusting both presser foot bases **height** independently
- B) Adjusting both presser foot bases **pressure** independently

K938GL



K938GR





For tape/ elastic attaching. Max. 32mm width (removeable)
適用於面貼細條/鬆緊帶，最寬32mm (可拆卸)

K938GL

左導傍面貼高低壓腳 (可調教)
Left Compensating Foot for Tape Attaching (Adjustable)

K938GR

右導傍面貼高低壓腳 (可調教)
Right Compensating Foot for Tape Attaching (Adjustable)




K 百福包邊及摺邊 PFAFF Binding & Hemming

KHF36A

人字縫包邊器
Edge Binder for Zigzag

(薄身皮革及塑膠材料用)
(For Thin Leather & Plastic Material)




Tape Size 入口	1/2"	9/16"	3/4"
Finished Size 出口	3/16"	3/16"	1/4"

KHF36B

人字縫包邊器
Edge Binder for Zigzag

(薄身皮革及塑膠材料用)
(For Thin Leather & Plastic Material)





Tape Size 入口	1"	3/4"
Finished Size 出口	1/4"	3/16"

KHF36C

人字縫包邊器
Edge Binder for Zigzag


(薄身皮革及塑膠材料用)
(For Thin Leather & Plastic Material)



Tape Size 入口	1/2"	14mm	5/8"	18mm	20mm	25mm
Finished Size 出口	1/4"	7mm	5/16"	9mm	10mm	12.5mm

KHF59A


人字縫包邊器
Edge Binder for Zigzag



Tape Size 入口	1/2"	9/16"	3/4"
Finished Size 出口	3/16"	3/16"	1/4"

KHF59B


人字縫包邊器
Edge Binder for Zigzag



Tape Size 入口	1"	3/4"
Finished Size 出口	1/4"	3/16"

KHF59C


人字縫包邊器
Edge Binder for Zigzag



Tape Size 入口	1/2"	14mm	5/8"	18mm	20mm	25mm
Finished Size 出口	1/4"	7mm	5/16"	9mm	10mm	12.5mm

KHF76

胸罩包邊器
Brassiere Edge Binder




Finished Size 出口	5.2mm	6.4mm	8mm
------------------	-------	-------	-----



KHF79

胸罩包邊器
Brassiere Edge Binder



91-052 021-93

摺邊壓腳
Hemming Foot

摺邊
Hemming:
2.5mm, 3mm, 4mm



KP438-623

左傍壓腳
Left Guiding Presser Foot

針孔寬度 Needle Hole Width	7 mm
壓腳寬度 Presser Foot Width	14.5 mm



KP438-624

左傍壓腳
Left Guiding Presser Foot

針孔寬度 Needle Hole Width	7 mm
壓腳寬度 Presser Foot Width	16 mm



KP438-7L

左傍壓腳
Left Guiding Presser Foot

針孔寬度 Needle Hole Width	6 mm
壓料位置寬度 Pressing Width	7 mm



KP438-10L

左傍壓腳
Left Guiding Presser Foot

針孔寬度 Needle Hole Width	9 mm
壓料位置寬度 Pressing Width	10 mm



KP438-8LF

左傍高低壓腳
Left Compensating
Presser Foot


針孔寬度 Needle Hole Width	4.5 mm
右趾寬度 Right Toe Width	7.5 mm



KP438-13

左傍高低壓腳
Left Compensating
Presser Foot

針孔寬度 Needle Hole Width	6.5 mm
右趾寬度 Right Toe Width	7 mm




KP438-623 壓腳 Presser Foot

壓腳寬度
Presser Foot Width:
14.5mm

KF438516-A3 送布齒 Feed Dog

齒面寬度
Teeth Width:
1mm

KN438596-A3 針板 Needle Plate



KP438-624 壓腳 Presser Foot



壓腳寬度
Presser Foot Width:
16mm

KF438516-A4 送布齒 Feed Dog


齒面寬度
Teeth Width:
14mm

KN438596-A4 針板 Needle Plate


包邊器連針位 (KHF59) Binder & Gauge Set



Tape Size 入口	1/2"	9/16"	3/4"
Finished Size 出口	3/16"	3/16"	1/4"



Tape Size 入口	1"	3/4"
Finished Size 出口	1/4"	3/16"



Tape Size 入口	1/2"	14mm	5/8"	18mm	20mm	25mm
Finished Size 出口	1/4"	7mm	5/16"	9mm	10mm	12.5mm

Select one of the following Gauge Sets 選配以下其中一套針位

Presser Foot 壓腳

Feed Dog 送布齒

Needle Plate 針板

KP438-623

KF438516-A3


KN438596-A3

KP438-624

KF438516-A4

KN438596-A4

包邊器連針位 (KHF76) Binder & Gauge Set



KHF76


胸罩包邊器
Brassiere Edge Binder

出口 Finished Size

5.2mm

6.4mm

8mm



Select one of the following Gauge Sets 選配以下其中一套針位

Presser Foot 壓腳

Feed Dog 送布齒

Needle Plate 針板

KP438-623

KF438516-A3


KN438596-A3

KP438-624

KF438516-A4

KN438596-A4

K 百福透明塑膠壓腳 PFAFF Transparent Plastic Presser Feet




PT-438

全鋼壓腳頭
Steel Presser Feet Head




T-086

針孔尺寸 Needle Hole Size	6 mm x 1.5 mm
壓腳寬度 Presser Foot Width	11.5 mm




T-254

針孔尺寸 Needle Hole Size	8 mm x 1.5 mm
壓腳寬度 Presser Foot Width	15 mm



T-314


針孔尺寸 Needle Hole Size	11.5 mm x 2 mm
壓腳寬度 Presser Foot Width	19 mm



TL-107

左傍邊壓腳
Left Edge Guiding


針孔尺寸 Needle Hole Size	7 mm x 1.5 mm
傍位與針孔間之距離 Distance between Guide & Needle Hole:	0 mm



TL-457

左傍邊壓腳
Left Edge Guiding


針孔尺寸 Needle Hole Size	11.5 mm x 2 mm
傍位與針孔間之距離 Distance between Guide & Needle Hole:	0 mm



TR-107

右傍邊壓腳
Right Edge Guiding

針孔尺寸 Needle Hole Size	7 mm x 1.5 mm
傍位與針孔間之距離 Distance between Guide & Needle Hole:	0 mm



TR-457

右傍邊壓腳
Right Edge Guiding


針孔尺寸 Needle Hole Size	11.5 mm x 2 mm
傍位與針孔間之距離 Distance between Guide & Needle Hole:	0 mm

K 胸罩杯及鋼線助縫設備 Attachments for Bra Cup & Underwire



KHF68

胸罩胸杯部份接縫及襯裡貼邊
Lining Tape Attaching
Folder for Cup Sewing




針距 Needle Space

1/8"	3/16"	1/4"
5/16"	3/8"	



KHF71

胸罩鋼線包縫器
Bra Underwire Support
Attachment




針距 Needle Space	入口 Tape Size	出口 Finished Size
1/4"	1-1/8"	3/8"
1/4"	1"	3/8"
3/16"	15/16"	5/16"
1/8"	3/4"	1/4"



KHF77

上下網條包鋼線貼邊器
Two-piece Bra Underwire
Support Attachment




針距 Needle Space	入口 Tape Size	出口 Finished Size
1/4"	1"	3/8"



KHF78A

包鋼線貼邊器
Bra Underwire Support
Attachment




針距 Needle Space	入口 Tape Size	出口 Finished Size
1/4"	1-1/8"	3/8"



KHF78B

包鋼線貼邊器
Bra Underwire Support
Attachment




針距 Needle Space	襯裡 Lining	入口 Tape Size	出口 Finished Size
1/4"	3/4"	1-1/2"	3/8"



KHF92

胸罩鋼線包縫
Bra Underwire Support
Attachment




KHF92	S	L
Outer Tape Size 外帶尺寸	22mm	25mm
Inner Tape Size 內帶尺寸	20mm	23mm
Finished Size 出口	8mm	10mm
Needle Space 針距	1/4"	5/16"



KHF97

三重捲包硬片面貼器
Triple Folded Brassiere
Strip Support Attachment




針距 Needle Space	入口 Tape Size
3/16"	30mm
1/4"	40mm



KHF99

包鋼線貼邊器(直角曲咀)
Bra Underwire Support
Attachment (Right Angle)




針距 Needle Space	入口 Tape Size	出口 Finished Size
3/16"	1-1/4"	5/16"
1/4"	1-1/2"	3/8"

K 面貼網條 - 助縫設備 Tape Attaching - Attachments



KHF38

袖圈貼邊器
Sleeve Facing Folder




針距 Needle Space	出口 Finished Size
1/4"	3/8"



KHF63

網條貼邊器(胸罩及內褲用)
Lining Tape Attaching
Folder for Bra / Lingerie




Needle Space 針距			
1/8"	3/16"	7/32"	1/4"
5/16"	3/8"	7/16"	1/2"




KHF81

可調式花邊貼邊器
Adjustable Lace Attaching
Folder



KHF96


胸罩用包硬片面貼器
Bra Strip Support Attachment



針距 Needle Space	1/4"
--------------------	------


212-96

硬片導坑壓腳
Grooved Presser Foot for Strip




21139 胸罩用導帶器 Strip Guide for Brassieres

21139A




針距 Needle Space	
1/8"	3/16"
1/4"	5/16"

21139B



針距 Needle Space	
1/8"	3/16"
1/4"	5/16"

21139C



針距 Needle Space	
1/8"	3/16"
1/4"	5/16"
3/8"	7/16"
1/2"	

KHF71

胸罩鋼線包縫器
Bra Underwire Support Attachment



K41B

雙針車推板
Slide Plate for Double Needle Machine



21139A 或 21139B 配合 K41B 及 KHF71 一併使用
Fit 21139A or 21139B to K41B Slide Plate and KHF71 Folder




K 面貼細條 - 壓腳

Tape Attaching - Attaching Feet

212-005A


可調較面貼細條雙針壓腳
Double Needle Adjustable
Tape Attaching Foot



針距 Needle Space	入口 Tape Size
3.2mm	5.5mm ~ 22mm
4.8mm	6.5mm ~ 22mm
6.4mm	7.8mm ~ 22mm

212-112


可調較面貼細條雙針壓腳
Double Needle Adjustable
Tape Attaching Foot



針距 Needle Space	入口 Tape Size
4.8 mm	6.5 ~ 11.2 mm
6.4 mm	8 ~ 16.6 mm

23061


面貼細條壓腳
Tape Attaching Foot



針距 Needle Space	入口 Tape Size	出口 Finished Size
3/16"	5/8"	5/16"
3/16"	3/4"	5/16"
1/4"	3/4"	Overlapped 搭口
1/4"	7/8"	3/8"
		Overlapped 搭口

23071


面貼細條壓腳
Open Seam Tape Attaching
Foot



針距 Needle Space
1/8" 3/16" 7/32" 1/4"

23072


調節式面貼細條壓腳
Adjustable Tape Attaching
Feet



針距 Needle Space	可調節細條寬度 Adjustable Tape Size
1/4"	8.5 ~ 16 mm

23073

開式縫面貼細條壓腳
Open Seam Tape Attaching
Foot



針距 Needle Space	入口 Tape Size	出口 Finished Size
3/16"	5/8"	5/16"
1/4"	3/4"	3/8"

23207

開式縫面貼細條壓腳
Open Seam Tape Attaching
Foot



針距 Needle Space
1/8" 3/16" 1/4"

K 導帶細條 - 針位

Tape Attaching - Gauge Sets



223884H

彎形導帶坑針板
Curved Undercut Needle Plate

223628H

特高送布齒
Feed Dog (Extra High)


針距 Needle Space	最寬導帶尺寸 Max Tape Size
1/8"	10mm
3/16"	10mm
1/4"	11.5mm



224053

導帶針板
Needle Plate with Tape Insert

224029 送布齒
Feed Dog



針距 Needle Space	最寬導帶尺寸 Max Tape Size
1/8"	7mm
3/16"	8mm
7/32"	9mm
1/4"	10mm


Needle Plate Tunnel Height
針板管道高度 2mm



3568-53

導帶針板
Needle Plate with Tape Insert

3568-29 送布齒
Feed Dog



針距 Needle Space	最寬導帶尺寸 Max Tape Size
3/16"	8mm
1/4"	10mm
9/32"	11mm


Needle Plate Tunnel Height
針板管道高度 2mm



KN845-53

面貼針板
Needle Plate with Tape Insert

KN845-29 送布齒
Feed Dog



針距 Needle Space	最寬襯裡尺寸 Max Tape Size
1/8"	7mm
3/16"	8mm
1/4"	10mm

Needle Plate Tunnel Height
針板管道高度 2mm



22466

網條用針板
Needle Plate with Tape Insert

22468

網條用送布齒
Undercut Feed Dog

針距 Needle Space	最寬網條尺寸 Max Tape Size
3/16"	7.5mm
1/4"	9mm

Needle Plate Tunnel Height
針板管道高度 4mm

21014 胸罩彎形硬條針位
Gauge Set for Brassiere Curved Underwire Support



21014-1

右向彎形坑壓腳
Right Curved Grooved Feet

21014-2

加傍邊右彎導帶坑針板
Undercut Needle Plate with Extra Guide

21014-3

送布齒
Feed Dog

針距 Needle Space	3/16"	1/4"
--------------------	-------	------

21010 胸罩面貼用針位 Gauge Set for Brassiere Tape Attaching



21010-1L

左傍刀壓腳

Left Compensating Guiding Foot

薄物用 For Light Duty	21010-1L x 0.9
厚物用 For Heavy Duty	21010-1L x 1.7

21010-1R

右傍刀壓腳

Right Compensating Guiding Foot


薄物用 For Light Duty	21010-1R x 0.9
厚物用 For Heavy Duty	21010-1R x 1.7

21010-2 導帶坑針板 Undercut Needle Plate

21010-3 送布齒 Feed Dog

針距 Needle Space			
1/8"	5/32"	3/16"	7/32"
1/4"	9/32"	5/16"	

21010A 胸罩面貼用針位 Gauge Set for Brassiere Tape Attaching



21010-1AL

左傍壓腳

Left Edge Guide Presser Foot

21010-1AR

右傍壓腳

Right Edge Guide Presser Foot

21010-2

導帶坑針板

Undercut Needle Plate


21010-3A

高低導帶送布齒

Compensating Feed Dog with Extra Tape Guide

針距 Needle Space	綑條出口 Finished Size
3/16"	5/16"
7/32"	11/32"
1/4"	3/8"

彎形面貼針位 Gauge Set for Curved Tape Attaching



S570AL

附左傍右向彎形坑壓腳
Right Curved Grooved Feet with Left Compensating Guide

針距 Needle Space		
1/8"	3/16"	1/4"

S570AR

附右傍左向彎形坑壓腳
Left Curved Grooved Feet with Right Compensating Guide

針距 Needle Space		
1/8"	3/16"	1/4"

223884H

彎形導帶坑針板
Curved Undercut Needle Plate

223628H

特高送布齒
Feed Dog (Extra High)

針距 Needle Space		
1/8"	3/16"	1/4"

K 其他雙針針位 Other Double Needle Gauge Sets



TH25305

厚物用針板
Needle Plate for Thick Material

TH33564

厚物用送布齒
Feed Dog for Thick Material

Needle Plate Tunnel Height
針板管道高度 4mm

針距 Needle Space	
3/16"	1/4"



24873S

薄物用針板
Needle Plate for Thin Material

針距 Needle Space	
1/8"	3/16"

可用配件
Other Applicable Parts:
Feed Dog 送布齒 21010-3



21010-1A

壓腳
Presser Foot

針距 Needle Space	
1/8"	3/16"
7/32"	1/4"

可用配件
Other Applicable Parts:
Needle Plate 21010-2
Feed Dog 送布齒 21010-3



223773
傍邊壓腳
Edge Guiding Foot

針距 Needle Space		
3.2 mm	4.8 mm	6.4 mm




112W-C9
左右高低互補
Moving Compensating

針距 Needle Space	
3/16"	1/4"



23069
配合可拆除式中央導向片
(開式縫用)
With Removable Center Guide for Open Seam




可調教
Adjustable

針距 Needle Space	
3/16"	1/4"




212-112K
開式縫中央傍片壓腳
Open Seam Guiding Foot



針距 Needle Space			
1/8"	3/16"	7/32"	1/4"
3/8"	1/2"	5/8"	



KT112P
前後互動壓腳
Hinged Compensating Feet




針距 Needle Space	
3/16"	1/4"

Sewing Crossed Seam Easily
適用於縫十字縫



KT112PG
導傍前後互動壓腳
Guiding Hinged Compensating Feet



針距 Needle Space	
3/16"	1/4"

Sewing Crossed Seam Easily
適用於縫十字縫

23388 固定針針位
Box Type Gauge Set



23388-4
壓腳
Presser Feet

23388-5
固定針針板
Box Type Needle Plate

23388-6
固定針送布齒
Box Type Feed Dog

針距 Needle Space			
1/8"	3/16"	1/4"	

23067 胸圍用雙針包縫針位 Double Needle Gauge Set for Bra Binding



23067PF 壓腳
Presser Foot


23067NP 針板
Needle Plate

23067FD 送布齒
Feed Dog


112607SP 推板
Slide Plate

Needle Space 針距 3/16" 1/4"


包邊器連針位 (KHF36) Binder & Gauge Set



入口 Tape Size	出口 Finished Size
1/2"	3/16"
9/16"	3/16"
1/4"	3/4"



入口 Tape Size	出口 Finished Size
1"	1/4"
3/4"	3/16"



入口 Tape Size	出口 Finished Size
1/2"	1/4"
14mm	7mm
5/8"	5/16"

23067NP Needle Plate 針板

23067FD Feed Dog 送布齒


23067PF Presser Foot 壓腳

112607SP Slide Plate 推板

Size 尺寸

3/16" 1/4"

KAP 雙針導傍高低壓腳 (可調教) Double Needle Compensating Feet (Adjustable)




適用於同時縫紉不同厚度物料：


- A) 兩邊壓腳底高度可個別調教
- B) 兩邊壓腳底壓力可個別調教

Sewing different thickness fabrics simultaneously:


- A) Adjusting both presser foot bases height independently
- B) Adjusting both presser foot bases pressure independently



K845L



K845R



K845M

K845L

左導傍壓腳
Left Compensating Foot

K845R


右導傍壓腳
Right Compensating Foot

K845M

左右導傍高低壓腳
Dual Compensating Foot





針距 Needle Space

3/16" 1/4"



束腰內衣用針位 Gauge Set for Corset

壓力可個別調教
Pressure adjustable
independently



GD112-TP

束腰內衣用壓腳

Presser Foot for Corset

壓力可個別調教

Pressure Adjustable Independently

針距 Needle Space	5/16"
坑闊 Groove Width	1/2"

22466

網條用針板

Needle Plate with Tape Insert

針距 Needle Space	
4.8 mm	6.4 mm

22468

網條用送布齒

Undercut Feed Dog


針距 Needle Space	
4.8 mm	6.4 mm

24711

懸掛式面貼器

Suspended Tape Folder

膠條 / 金屬條
Plastic / Metal Tape



Tape folding patterns depend on the folder, which can be tailor-made.

網條包縫款式取決於助縫器，歡迎訂造。

K 鬆緊帶調節器 *Elastic Tension Devices*

831T

鬆緊帶調節器 (雙針車用)
Tension Device
(for Double Needle Machine)



最大鬆緊帶寬度
Max. Elastic Tape Width 18 mm

2280-T1

滾輪式單層鬆緊帶調節器
Roller Type
Single Tension Device

平均壓力分佈設計
Even Pressure Design




最大鬆緊帶寬度
Max. Elastic Tape Width 25 mm

2280-T2

滾輪式雙層鬆緊帶調節器
Roller Type
Double Tension Device

平均壓力分佈設計
Even Pressure Design



最大鬆緊帶寬度
Max. Elastic Tape Width 25 mm

KH457-T1

單層鬆緊帶調節器
Single Tension Device

平均壓力分佈設計
Even Pressure Design



最大鬆緊帶寬度
Max. Elastic Tape Width 25 mm

KH457-T2

雙層鬆緊帶調節器
Double Tension Device

平均壓力分佈設計
Even Pressure Design



最大鬆緊帶寬度
Max. Elastic Tape Width 25 mm

457-T1


單層鬆緊帶調節器
Single Tension Device



最大鬆緊帶寬度
Max. Elastic Tape Width 18 mm

457-T2

雙層鬆緊帶調節器
Double Tension Device



最大鬆緊帶寬度
Max. Elastic Tape Width 18 mm



457G-188

鬆緊帶調節器
Tension Device


最大鬆緊帶寬度
Max. Elastic Tape Width 18 mm



KB438

鬆緊帶調節器支架(百福用)
Bracket of Tension Device
(for PFAFF)

KH2284 多段式滾輪鬆緊帶調節器 Multi-sections Roller Type Tension Device



KH2284-T1

單段鬆緊帶調節器
1-Section Tension Device

- 包含 S1
Including S1

KH2284-T2

雙段鬆緊帶調節器
2-Section Tension Device

- 包含 S1, S2
Including S1, S2

KH2284-T3


三段鬆緊帶調節器
3-Section Tension Device

- 包含 S1, S2, S3
Including S1, S2, S3

S3


S1

S2



- 可選擇配置一段、兩段、三段鬆緊張力控制。
Optional to configure 1, 2 or 3 sections of tension control.
- 可同時分別設定多段不同張力，並循環使用。
Can be set with a number of different tension at the same time, and used alternately.
- 方便縫製含多段不同鬆緊度產品。
Easy to sew with a number of different tightness products.

KH438 多段式滾輪鬆緊帶調節器 Multi-sections Roller Type Tension Device



KH438-T1

單段鬆緊帶調節器
1-Section Tension Device

- 包含 S1
Including S1

KH438-T2


雙段鬆緊帶調節器
2-Section Tension Device

- 包含 S1, S2
Including S1, S2

KH438-T3

三段鬆緊帶調節器
3-Section Tension Device

- 包含 S1, S2, S3
Including S1, S2, S3



- 可選擇配置一段、兩段、三段鬆緊張力控制。
Optional to configure 1, 2 or 3 sections of tension control.
- 可同時分別設定多段不同張力，並循環使用。
Can be set with a number of different tension at the same time, and used alternately.
- 方便縫製含多段不同鬆緊度產品。
Easy to sew with a number of different tightness products.

K 其他配件 Other Parts



KH373-75

胸罩飾花用夾模
Clamp for Bra Corsage



KH373-86

釘勾扣夾模
Eye and Hook Clamp




SP-18N

3mm單針右傍壓腳
Single Needle Right
Compensating Guiding
Foot (3mm)




KHF83

繡縫車綑條面貼器
Tape Attach Folder for
Covering Stitch



Tape Size 入口	Finished Size 出口
14mm	5.6mm
15mm	6.4mm
17mm	7.2mm
19mm	8.0mm
21mm	8.8mm


Assemble The Folder At The Front
of Covering Stitch Presser Foot
安裝於繡縫車壓腳前



K10


平車直角包縫器
Right Angle Bias Binder

Tape Size 入口	
20mm	22mm
26mm	28mm
32mm	34mm
38mm	40mm
45mm	50mm
24mm	30mm
36mm	42mm



繙縫車直角鬆緊包邊器
Right Angle Elastic Binder for Covering Stitch Machine


KHF57




KHF62




AE



BE



CE




Tape Size 入口	Finished Size 出口
3/4"	1/4"
15/16"	5/16"
1-1/8"	3/8"
1-3/8"	1/2"
1-5/8"	5/8"
1-7/8"	3/4"
2-1/8"	7/8"
2-3/8"	1"
2-5/8"	1-1/8"
2-7/8"	1-1/4"
3-1/8"	1-3/8"
3-3/8"	1-1/2"

Tape Size 入口	Finished Size 出口
1"	1/4"
1-1/4"	5/16"
1-1/2"	3/8"
1-3/4"	1/2"
2"	5/8"
2-1/4"	3/4"
2-1/2"	7/8"
2-3/4"	1"
3"	1-1/8"
3-1/4"	1-1/4"
3-1/2"	1-3/8"
3-3/4"	1-3/8"

Tape Size 入口	Finished Size 出口
1/2"	1/4"
5/8"	5/16"
3/4"	3/8"
7/8"	7/16"
1"	1/2"

其他 OTHERS




KAP 多方位可調教導傍高低壓腳 Multi-adjustable Compensating Feet

適用於同時縫紉不同厚度物料:


- A) 兩邊壓腳底高度可個別調教
- B) 兩邊壓腳底壓力可個別調教

Sewing different thickness fabrics simultaneously:


- A) Adjusting both presser foot bases **height** independently.
- B) Adjusting both presser foot bases **pressure** independently.




KAP 人字導傍高低壓腳 (可調教) Compensating Feet for Zig Zag (Adjustable)



K2284L



K2284R



K2284M

K2284L

左傍高低壓腳 (可調教)
Left Compensating Foot (Adjustable)

K2284R



右傍高低壓腳 (可調教)
Right Compensating Foot (Adjustable)

K2284M

左右導傍高低壓腳 (可調教)
Dual Compensating Foot (Adjustable)

KAP 人字導傍面貼高低壓腳 (可調教) Tape Attaching Compensating Feet for Zig Zag (Adjustable)

K2284GL



K2284GR

For tape/ elastic attaching. Max. 32mm width (removeable)
適用於面貼網條/鬆緊帶，最寬32mm (可拆卸)


K2284GL

左導傍面貼高低壓腳 (可調教)
Left Compensating Foot
for Tape Attaching (Adjustable)


K2284GR

右導傍面貼高低壓腳 (可調教)
Right Compensating Foot
for Tape Attaching (Adjustable)


KAP 百福人字導傍高低壓腳 (可調教) Compensating Feet for PFAFF Zig Zag (Adjustable)



K938L



K938R



K938M

K938L

左導傍壓腳 (可調教)
Left Compensating Foot (Adjustable)


K938R

右導傍壓腳 (可調教)
Right Compensating Foot (Adjustable)

K938M

左右導傍高低壓腳 (可調教)
Dual Compensating Foot (Adjustable)

KAP 百福人字導傍面貼高低壓腳 (可調教) Tape Attaching Compensating Feet for PFAFF Zig Zag (Adjustable)



For tape/ elastic attaching. Max. 32mm width (removeable)
適用於面貼綑條/鬆緊帶，最寬32mm (可拆卸)


K938GL

左導傍面貼高低壓腳 (可調教)
Left Compensating Foot
for Tape Attaching (Adjustable)

K938GR

右導傍面貼高低壓腳 (可調教)
Right Compensating Foot
for Tape Attaching (Adjustable)

KAP 雙針導傍高低壓腳 (可調教) Double Needle Compensating Feet (Adjustable)



K845L 左導傍壓腳 Left Compensating Foot

K845R 右導傍壓腳 Right Compensating Foot


K845M 左右導傍高低壓腳 Dual Compensating Foot

針距 Needle Space

3/16"

1/4"

KCR 氣動裁切器 Pneumatic Cutter




鋼片 Metal Plate

用膠水貼在刀口正下方的針板處
Adhesive on needle plate
under the knife

F.R.L. Unit 聯組

低壓閥 Filter
壓力錶 Regulator
油霧器 Lubricator

KCR 氣動裁切器適用於裁切綑帶、通心帶、剪線等。
KCR Pneumatic Cutter is operated by air cylinder to cut tape, thread, spaghetti, etc.
只需一個按鈕(手動/腳踏)便能簡單裁切。
One (button/pedal) switching operation can replace the auto-thread trimmer system.
可代替自動剪線系統或繁複的人手剪料工序，省時方便。
The cutting manpower can be avoided, the time and the cost can be saved.



Cutter Model 切刀型號	Installation 安裝圖	Mounting Block 安裝組件
KCR-457 勝家 457 用 For Singer 457		
KCR-2284 祖奇 2284 用 For Juki 2284		
KCR-8420 祖奇/兄弟雙針車用 For Juki/Brother Double Needle Machine		

Olympian
奧林比安


送料器

Tape Feeders

TF-713 / TF-813

TF-714 / TF-814

TF-714U



TF-713 / TF-813

側送型送料器
Lateral Tape Feeder

Max Width 最大寬度:	50mm (TF-713) / 90mm (TF-813)
Roller 送料輪:	鋼齒輪及塑膠輪(各一對) Steel & Plastic Rollers (One Pair Each)
Power 電源:	8W 110V ~ 220V
Packing Size 包裝尺寸:	45 x 29 x 27 cm

TF-713/TF-813送料器多用於直角包邊，置於縫紉機側面，由右至左將細條/布帶送至縫紉機及包邊器。每套送料器均附上鋼齒輪及膠輪各一對，以配合不同質料的細條及布帶。特設蜂鳴器，當送布輪遇上細條打結或不能順暢地送料時，便會發出警示並停止運作。TF-713採用50mm送料輪，適合一般通用的細條；而TF-813則採用90mm送料輪，較闊的細條合用。

It is mainly used for binding, mounted on the table at the right hand side of sewing machine and feeding the tape into the binder. Two sets of rollers, steel and plastic, are provided for different tapes. TF-713 is narrower (50mm) and TF-813 is wider (90mm). Its anti-knotted device will alarm if the tape is knotted or can't be fed smoothly.




TF-714 / TF-814

垂直型送料器
Downward Tape Feeder

Max Width 最大寬度:	50mm (TF-714) / 90mm (TF-814)
Roller 送料輪:	鋼齒輪及塑膠輪(各一對) Steel & Plastic Rollers (One Pair Each)
Power 電源:	8W 110V ~ 220V
Packing Size 包裝尺寸:	45 x 29 x 27 cm

TF-714/TF-814送料器多用於面貼或鬆緊帶，置於縫紉機之後，由上而下將細條/鬆緊帶送至縫紉機前。隨機附上鋼齒輪及膠輪各一對，以配合不同質料的細條及鬆緊帶。特設蜂鳴器，當送布輪遇上細條打結或不能順暢地送料時，便會發出警示並停止運作。TF-714採用50mm送料輪，適合一般通用的細條；而TF-814則採用90mm送料輪，較闊的細條合用。

It is mainly used for tape attaching, mounted behind the sewing machine and feeding material into the machine. Two sets of rollers, steel and plastic, are provided for different tapes. TF-714 is narrower (50mm) and TF-814 is wider (90mm). Its anti-knotted device will alarm if the tape is knotted or can't be fed smoothly.



TF-714U


垂直型送料器 (連防止打結裝置)
Downward Tape Feeder (with Untangling Device)

Max Width 最大寬度:	50mm
Roller 送料輪:	鋼齒輪及塑膠輪(各一對) Steel & Plastic Rollers (One Pair Each)
Power 電源:	8W 110V ~ 220V

TF-714U結合了TF-714送料器及奧林比安防止打結裝置，用於面貼或鬆緊帶，置於縫紉機之後，由上而下將細條/鬆緊帶送至縫紉機前。隨機附上鋼齒輪及膠輪各一對，以配合不同質料的細條及鬆緊帶。防打結裝置與送料器連結，不停高速轉動可避免細條糾纏打結，保證送料器運作順利。另特設蜂鳴器，當送布輪遇上細條打結或不能順暢地送料時，便會發出警示並停止運作。

It is a combination of TF-714 tape feeder and Olympian Untangling Device. It is for tape or elastic which has been released and placed behind the sewing machine.

The Untangling Device is linked with the tape feed. It rotate simultaneously with the tape feeder to loosen the tape before it was inserted into the feeder. Its anti-knotted device will alarm if the tape is knotted or can't be fed smoothly.



X 卡迪亞旋梭 (2284/457人字縫紉機用) **Kardia Rotary Hooks (for 2284/457 Zigzag machines)**

- 獨有特長勾尖
更適用於薄物
- 鍍鈦內梭
堅硬無比，無懼撞針

- Unique Design Long Hoop Tip
Especially suitable for thin fabric
- Titanium-plated Inner Hook
Genuine Hard Point



KDH-457

勝家人字縫旋梭
Rotary Hook for
Singer Zigzag Machines

- 獨有特長勾尖
Unique design long hoop tip
- 鍍鈦內梭
Titanium-plated inner hook

適用於 Suitable for:
勝家 Singer 457A, 457G, 457U
(零件編號 Part Number: 282293)



KBC-457

勝家人字縫梭殼
Bobbin Case for
Singer Zigzag Machines

適用於 Suitable for:
勝家 Singer 457A, 457G, 457U
(零件編號 Part Number: 502530)



KDH-2284

重機人字縫旋梭
Rotary Hook for
Juki Zigzag Machines

- 獨有特長勾尖
Unique design long hoop tip
- 鍍鈦內梭
Titanium-plated inner hook

適用於 Suitable for:
重機 Juki LZ-2282N-7, LZ-2284N-7
(零件編號 Part Number: 225-25877)



KBC-2284

重機人字縫梭殼
Bobbin Case for
Juki Zigzag Machines

適用於 Suitable for:
重機 Juki LZ-2282N-7, LZ-2284N-7
(零件編號 Part Number: 400-03598)

Kardia 卡迪亞
KDH-2284/
KDH-457



JUKI 重機
225-25877



Zigzag Rotary Hooks
from Other Brands
其他品牌人字旋梭



Kardia卡迪亞的KDH-2284/457
勾尖，與重機 225-25877 勾尖
的長度相同；比其他品牌的人
字旋梭的勾尖更長。



加長的勾尖有助控制底線張力，避免把物料過份拉緊。
對柔軟、幼細、薄的材料，尤其重要。

Kardia KDH-2284/457's hook tips are the same length with
Juki's 225-25877 and longer than the zigzag rotary hooks
from other brands.

A longer hook tip can make a better under-thread tension
control and avoid wrinkling the material, which especially
suitable for the thin and soft materials.

索引 Index

零件號 Part Number	頁數 Page	零件號 Part Number	頁數 Page	零件號 Part Number	頁數 Page
107-029	9	210604S	3, 15	23771-8	12
107-029K	9	21139A	34	23771R	10
107-030	9	21139B	34	23771S	10
107-030R	9	21139C	34	23772 (107E)	11
107-086	1	21140	34	23779 (457A)	11
107-089	17	212-005A	35	23779A	11
107-253T	2	212-112	35	23779R	11
107-254	1	212-112K	39	23780 (457A1)	11
107-4L	5	212-684	34	23780R (457A1)	11
107-5L	5	212-96	33	23781	11
107-601	14	22185	16	23782	12
107-6L	5	22186	4	23782-G	12
107-7L	6	22186-2M	4	23870	12
107-CL	6	22186-3F	4	241375	1
107-DL	6	22186-3M	4	24711	34, 41
107-DR	6	22187	17	24873S	38
107-G5L	9	22223	16, 17	266125	7
107K	7	223628H	36, 38	266125K	7
107SGL	6	223773	39	266125M	7
107SGR	6	223884H	36, 38	3568-29	36
112607SP	40	224029	36	3568-53	36
112W-C9	39	224053	36	3706	7
200074	10	22466	36, 41	3706K	7
21010-1A	38	22468	36, 41	3707	7
21010-1AL	37	225-46212	5	3707K	7
21010-1AR	37	225-46410	5	411136	19
21010-1L	37	225-48010	5	411146 (502969)	19
21010-1R	37	225-48119	5	411195	20
21010-2	37	225-48655	2	411196	20
21010-3	37	225-81409S	5	411295 (551899)	19
21010-3A	37	225-81508S	5	411314	1
21014-1	36	2280-T1	42	411358 (551905)	20
21014-2	36	2280-T2	42	411360 (551901)	19
21014-3	36	2284-CL	8	411362 (551897)	19
210515	17	23061	35	411364 (551909)	20
210516A-3	15, 16	23067FD	40	411394 (551893)	19
210516A-4	15, 16	23067NP	40	411396 (551907)	20
210516A-5	16	23067PF	40	411462 (551895)	19
210518	3	23069	39	411464 (551903)	20
210523	3	23071	35	411480 (551911)	20
210524	3	23072	35	411482 (551913)	20
210524S	3, 15	23073	35	417920-8	4, 12
210562A-2	15, 16	23207	35	417920-L	4
210562A-3	15, 16	23388	39	417920-S	4
210562A-4	15, 16	23388-4	39	417920-SL	4
210562A-5	16	23388-5	39	417920-SN	4
210569	1	23388-6	39	417920-XL	4
210569A	15	23425	9	417921	4
210569B	15	235-12551	17	457-CL	6
210595	17	23766A (457GB)	9	457-CR	6
210596A-3	15, 16	23768	7	457G-188	43
210596A-4	15, 16	23769	10	457-T1	42
210596A-5	16	23770	10	457-T2	42
210600	3	23770K	10	503595	1
210603	3	23771 (107C)	10	503605	4
210604	3	23771 (457)	10	503689	1

索引 Index

零件號 Part Number	頁數 Page	零件號 Part Number	頁數 Page	零件號 Part Number	頁數 Page
503690	2	KEC-2284-PF	21	KN845-29	36
503733N	3	KEC-2284-SP	21	KN845-53	36
503733NR	3	KEC-2284-T	21	KP2284ER	12
503733T	3	KEC-2284-UB	21	KP438-086	22
503734N	3	KF438223	23	KP438-10L	24, 29
503734T	3	KF438516-A3	23, 30	KP438-13	24, 29
503734TR	3	KF438516-A4	23, 30	KP438-314	22
503818	2	KF438734N	23	KP438-375	22
51768-8	4, 12	KF438920-L	23	KP438-623	24, 29, 30
51768-L	4	KF438920-S	23	KP438-624	24, 29, 30
51768-S	4	KH2284-T1	43	KP438-69	26
51768-SN	4	KH2284-T2	43	KP438-770	26
51768-TH	4	KH2284-T3	43	KP438-770K	26
541566	22	KH373-75	45	KP438-7L	24, 29
541647	4	KH373-86	45	KP438-8LF	24, 29
603766	12	KH438-T1	44	KP438A	22
831T	42	KH438-T2	44	KP438B	22
91-026 512-04	23	KH438-T3	44	KP438C	27
91-026 613-05	23	KH457-T1	42	KP438-CL	25
91-026 883-05	24	KH457-T2	42	KP438-CR	25
91-046 313-04	24	KHF-2284	21	KP438-DL	25
91-052 021-93	29	KHF36A	13, 28, 40	KP438-DR	25
B109	12	KHF36B	13, 28, 40	KP438ER	27
GB107	8	KHF36C	13, 28, 40	KP438GA	26
GD112-TP	41	KHF38	33	KP438GA-1	26
K10	45	KHF457	17	KP438K	26
K2284GL	13, 47	KHF47	14	KP938-CL	26
K2284GR	13, 47	KHF57AE	46	KT112P	39
K2284L	8, 47	KHF57BE	46	KT112PG	39
K2284M	8, 47	KHF57CE	46	KT2284P	12
K2284R	8, 47	KHF59	16, 30	PT-107	17
K41B	34	KHF59A	14, 16, 28, 30	PT-438	31
K845L	40, 48	KHF59B	14, 16, 28, 30	R23771	11
K845M	40, 48	KHF59C	14, 16, 28	R438	22
K845R	40, 48	KHF62AE	46	R438CK	27
K938GL	27, 48	KHF62BE	46	S107H	14
K938GR	27, 48	KHF62CE	46	S48293	2
K938L	25, 47	KHF63	33	S48308	2
K938M	25, 47	KHF68	32	S570AL	38
K938R	25, 47	KHF71	32, 34	S570AR	38
KB438	43	KHF76	14, 16, 28, 30	SP-18N	45
KBC-2284	50	KHF77	32	T-086	18, 31
KBC-457	50	KHF78A	32	T-254	18, 31
KCR-2284	48	KHF78B	32	T-314	18, 31
KCR-457	48	KHF79	14, 29	TF-713	49
KCR-8420	48	KHF81	33	TF-714	49
KDH-2284	50	KHF83	45	TF-714U	49
KDH-457	50	KHF92	33	TF-813	49
KEC-2284-BH	21	KHF96	33	TF-814	49
KEC-2284-FD	21	KHF97	33	TH25305	38
KEC-2284-GS	21	KHF99	33	TH33564	38
KEC-2284-GSF	21	KN438187	23	TL-107	18, 31
KEC-2284-LB	21	KN438596-A3	23, 30	TL-457	18, 31
KEC-2284-LBF	21	KN438596-A4	23, 30	TR-107	18, 31
KEC-2284-LS1+LS2	21	KN43868-L	23	TR-457	18, 32
KEC-2284-NP	21	KN43868-S	23		
KEC-2284-NPF	21	KN438733N	23		

